

Planning Commission Staff Report

TO: PLANNING COMMISSION / DESIGN REVIEW BOARD

FROM: STEPHANIE BUBENHEIM, PLANNER II

(480) 503-6625, STEPHANIE.BUBENHEIM@GILBERTAZ.GOV

THROUGH: AMY TEMES, INTERIM PRINCIPAL PLANNER

(480) 503-6729, AMY.TEMES@GILBERTAZ.GOV

SUBJECT: DR18-89, LITTLE SUNSHINE'S PLAYHOUSE

STRATEGIC INITIATIVE: Economic Development

MEETING DATE: SEPTEMBER 5, 2018

The proposed children's daycare center would provide the immediate community an additional childcare service option and allow for the development of an infill parcel.

RECOMMENDED MOTION

Approve the Findings of Fact and approve DR18-89, Little Sunshine's Playhouse: site plan, landscape, grading and drainage, elevations, floor plans, lighting, colors and materials for approximately 1.57 acres, generally located at the northwest corner of Higley Road and Germann Road and zoned Neighborhood Commercial (NC).

APPLICANT/OWNER

Company: Buttry & Brown Company: Mariah Properties
Name: Stephen Brown Name: K. Terry Williams

Address: 5040 Tennyson Parkway Address: 3303 E. Baseline Road Ste. 112

Plano, TX 75024 Gilbert, AZ 85234

Phone: (214) 296-4989 Ext. 702 Phone: (480) 962-1515

Email: sbrown@buttry-brown.com Email: twilliams@mariahproperties.com

BACKGROUND/DISCUSSION

History

Date	Description		
January 4, 2005	The Town Council approved A04-06 annexing the subject property		
	and overall Stratland Estates area.		
May 2, 2007	Town Council adopted Resolution No. 2779 (GP07-01) Minor		
	General Plan amendment to change the land use designation of 2.5		
	acres from Residential >2-3.5 to Neighborhood Commercial (NC).		
May 22, 2007	The Town Council approved Ordinance No. 1948 (cases Z07-15) to		
	rezone the subject site known as SanTan View Plaza from		
	Residential to Neighborhood Commercial (NC).		
November 15, 2007	The Design Review Board approved DR07-108 SanTan View Plaza		
	for a retail/office strip center. The DR approval expired 11/15/2010.		
September 5, 2012	The Hearing Officer denied V12-03 to amend the Higley Rd. arterial		
	landscape area from 50 to 47 ft. and reduce the west side perimeter		
	landscape area from 15 to 8 ft. 6 in. for McDonald's Restaurant.		
October 3, 2012	Planning Commission denied UP12-03, a Conditional Use Permit		
	allow McDonald's, a limited service restaurant with extended hou		
	of operation.		
July 11, 2018	Planning Commission discussed DR18-89 Little Sunshine's		
	Playhouse at Study Session.		

Overview

Little Sunshine's Playhouse is a pre-school and childcare facility with locations in 10 different states and two locations currently in Arizona. The 1.57 acre site is located on the northwest corner of Higley and Germann Roads with two existing curb cuts, one on each arterial. The site is surrounded to the north and west by Stratland Estates subdivision. The proposed childcare center is 9,590 square feet with a porte-cochère extending over the drive aisle, two playgrounds and additional site improvements.

Surrounding Land Use & Zoning Designations:

	Existing Land Use Classification	Existing Zoning	Existing Use
North	Residential > 2 – 3.5 DU/Acre	Single Family- 6 (SF-6) PAD	Stratland Estates residential subdivision at E Claxton Ct.
South	Residential > 2 – 3.5 DU/Acre	Single Family- 10 (SF-10)	Germann Road then Stratland Shadows subdivision
East	Residential > 2 - 3.5 DU/Acre	Single Family-7 (SF-7) PAD	Higley Road then SanTan Ranch subdivision
West	Residential > 2 - 3.5 DU/Acre	Single Family- 6 (SF-6) PAD	Stratland Estates subdivision and S. Briar Lane

Site	Neighborhood Commercial	Neighborhood Commercial	Vacant
		(NC)	

Project Data Table

Site Development Regulations	Required per LDC	Proposed
Maximum Building Height	25'	25' max height
(ft.)/(Stories)		
Minimum Building Setback (ft.)		
Front	20'	+/- 68'
Side (Street)	15'	+/- 145'
Side (Residential)	15'	+/- 67°
Rear (Residential)	15'	15'
Minimum Required Perimeter		
Landscape Area (ft.)		
Front	50'/20'	50'/20'
Side (Street)	50'	50'
Side (Residential)	15'	15'
Rear (Residential)	15'	15'
Landscaping (% of net lot area)	15%	51.5%

DISCUSSION

The proposed site is zoned NC, limiting the types of uses and limiting the hours of operation permitted due to the proximity of residential. The site is further constrained due to the smaller size of the property and required landscape/building setbacks as it is located at the intersection of two major arterials.

Site

The daycare/pre-school facility building is located near the northwest corner of the site to accommodate the landscape buffer and drive aisle. Two playgrounds are proposed flanking the building to the north and south and will have a treehouse play structure, shade canopies, a water feature and other play amenities. Parking for the site requires and meets 32 parking spaces and three (3) passenger loading spaces. Due to drive lane and fire department requirements, the porte-cochère must not be used as a designated drop-off, oversized and signed passenger loading spaces are located north of the main entrance.

Bike parking has been relocated closer to the main entrance on the same side of the drive aisle as the main entrance per Planning Commission's comment. The parking area north of the main entrance includes a five (5) foot porous concrete paver turnaround within the landscape setback to meet back-up requirements due to site limitations. There are also four (4) compact parking spaces proposed. The porte-cochère will extend over the drive aisle and will meet height requirements for large vehicles including fire trucks and garbage trucks.

The fully fenced playground areas are abutting the residential community to the north and west, but are separated from the homes by streets and landscape areas. The nearest property line of a home to the west is approximately 80 feet and the closest property line of a home to the north is

approximately 48 feet. The existing perimeter wall is six (6) feet tall. The Land Development Code requires 8' unless the owner of the wall does not agree to the height increase. The applicant is in discussion with Stratland Estates HOA regarding the height of the wall and options. Per the condition of approval, if the HOA approves the wall height addition a detail shall be provided to staff prior to construction document submittal noting the materials and colors match the existing wall or are coordinated as an accent feature. A detail of the six-foot (6') tall ornamental fence surrounding the playground within the property has been provided. *In response to Planning Commission's comment: columns for this fence are not proposed; the fence at the other Little Sunshine's location in Gilbert is along the right-of-way and therefore has more decorative detail. The applicant has requested to not add columns as this fence is internal to the site.*

The site will have two right in/right out turning movements, a right decel lane along Germann Road was determined not to be warranted. Sidewalks enhance the site and are located at the porte-cochère and south of the site to meet the sidewalk along the main roads; both sidewalks proposed are separated from the main drive entrances.

Landscape

The total landscape area is 51.5% far exceeding the required landscape area with xeriscape trees, shrubs and groundcover. As the site is at the corner of two major arterials, a 50' X 250' landscape buffer is provided at the corner of Higley and Germann Roads. Thornless Mesquite and Palo Brea trees are proposed within this buffer, which are required for Street Tree Theme District No. 9. A berm will be used in place of a parking screen wall to shield the four (4) compact car spaces. Evergreen Elms are used in the children playground areas which will have synthetic turf, and Willow Acacias are used at spots along the perimeter wall abutting residential. Shrubbery proposed consists of Rio Bravo Sage, Chihuahuan Sage, Ruellia, Hybrid Tecoma, and Red Bird of Paradise. Groundcover includes Desert Carpet Redolens, New Gold Lanata, Red Yucca, Katie Ruellia and other plants with decomposed granite in Santa Fe Beige being used in landscape areas.

Grading and Drainage

The proposed grading and drainage plan generally meets the requirements of the Town of Gilbert's Engineering Division. The site will utilize surface retention in the 50' X 250' landscape buffer and around the perimeter of the property.

Elevations, Floor Plan, Colors and Materials

The Old England Tudor style architecture of the building has full articulation and will be a somewhat different architectural style compared to the surrounding homes and commercial uses but will blend nicely with Stratland Estate's traditional walls and accent features. The Old England Tudor style is comprised of a faux dark gray/black slate tile roof with the main body of the building in a light beige color EIFS stucco "Buckskin" and painted wood trim accent in "Sable". The building will have stone veneer accent of Eldorado stone in "Vineyard Trail" which will be rough cut and used along the base of the building, the faux chimney feature and rounded tower element on the east/front elevation. Other accents to the building include a stone accent trim to transition the stone to stucco, a brick red colored main entrance door, chimney pots, dormers, finials and a weather vane to enhance the façade. *More dormers have been provided on elevations and the columns of the porte-cochère have been increased in width*

thickness from 2' to 2'8" per Planning Commission's comments. Revised exhibits noting the 2'8" will be provided to staff prior to construction document submittal.

Lighting

There are only three lighting types proposed, parking lot light poles, wall lanterns around the building, and can lights under the porte-cochère. All site lighting will be required to comply with Town codes.

Signage

Signage is not included in this approval. Administrative Design Review approval is required prior to permitting.

PUBLIC NOTIFICATION AND INPUT

An official notice was posted in all the required public places within the Town and neighborhood notice was provided per the requirements of the Land Development Code (LDC) Article 5.205.

Staff has received one inquiry from the public regarding the type of use proposed for the site.

STAFF RECOMMENDATION

Approve the Findings of Fact and approve DR18-89, Little Sunshine's Playhouse: site plan, landscape, grading and drainage, elevations, floor plans, lighting, colors and materials for approximately 1.57 acres, generally located at the northwest corner of Higley Road and Germann Road and zoned Neighborhood Commercial (NC) overlay, subject to conditions:

- 1. Construction of the project shall conform to the exhibits approved by the Planning Commission at the September 5, 2018 public hearing.
- 2. The construction site plan documents shall incorporate the Standard Commercial and Industrial Site Plan Notes adopted by the Design Review Board on March 11, 2004.
- 3. Signage is not included in this approval. Administrative Design Review approval is required prior to submitting for sign permits.
- 4. Prior to construction document (CD) submittal, the applicant shall provide Planning staff, a wall section detail of modification to existing 6' tall perimeter wall to 8' tall wall for planning staff approval. If the applicant provides a letter from Stratland Estates HOA requesting no change to the wall, the applicant may proceed with CD submittal.
- 5. Prior to construction document submittal, the applicant shall provide Planning staff with revised Color Elevations, with the column width of the porte-cochère at 2'8".

Respectfully submitted,

Stephanie Bubenheim

Planner II

Attachments and Enclosures:

- 1) Finding of Fact
- 2) Notice of Public Hearing
- 3) Aerial Photo
- 4) Site Plan
- 5) Landscape
- 6) Grading and Drainage
- 7) Colors and Materials
- 8) Elevations
- 9) Floor Plans
- 10) Lighting

DR18-89 Little Sunshine's Playhouse Attachment 1: Findings of Fact September 5, 2018

FINDINGS OF FACT DR18-89, Little Sunshine's Playhouse

- 1. The project as conditioned is consistent with the applicable Design Guidelines;
- 2. The project conforms to the General Plan, and specifically to the Land Use, Community Design, and Environmental Planning Elements;
- 3. The project is consistent with all applicable provisions of the Zoning Code;
- 4. The project is compatible with adjacent and nearby development; and
- 5. The project design provides for safe and efficient provisions of public services.

DR18-89 Little Sunshine's Playhouse Attachment 2: Notice of Public Hearing September 5, 2018

Notice of Public Hearing

PLANNING COMMISSION DATE:

Wednesday, September 5, 2018* TIME: 6:00 PM


LOCATION: Gilbert Municipal Center Council Chambers 50 E. Civic Center Drive Gilbert, Arizona 85296 * Call Planning Department to verify date and time: (480) 503-6625

* The application is available for public review at the Town of Gilbert Development Services division Monday - Thursday 7 a.m. - 6 p.m. Staff reports are available the Monday prior to the meeting athttps://www.gilbertaz.gov/departments/development-services/planning-development/planning-commission

REQUESTED ACTION:

DR18-89, LITTLE SUNSHINE'S PLAYHOUSE: Site plan, landscaping, grading and drainage, building elevations, colors and materials, and lighting for approximately 1.57 acres, generally located on the northwest corner of Higley Road and Germann Road, and zoned Neighborhood Commercial (NC) with a Planned Area Development (PAD) overlay.

SITE LOCATION:



APPLICANT: Buttry & Brown CONTACT: Stephen Brown

ADDRESS: 5040 Tennyson Parkway


Plano, TX 75024

TELEPHONE: (214) 296-4989, Ext. 702 E-MAIL: sbrown@buttry-brown.com

Little Sunshine's Playhouse Site APN 304-52-020C



PRELIMINARY SITE PLAN FOR: LITTLE SUNSHINE'S PLAYHOUSE & PRESCHOOL **TOWN OF GILBERT, ARIZONA**



MARIAH PROPERTIES VI, LLC 3303 E. BASELINE RD. SUITE 112 GILBERT, ARIZONA 85234

CONTACT: K. TERRY WILLIAMS
PHONE: (480) 962-1515
EMAIL: TWILLIAMS@MARIAHPROPERTIES.COM

DEVELOPER

BUTTRY & BROWN DEVELOPMENT, LLC 5040 TENNYSON PRKWY PLANO, TEXAS 75024

CONTACT: STEPHEN BROWN
PHONE: (214) 296-4989 EXT. 702
EMAIL: SBROWN@BUTTRY-BROWN.COM

PROJECT DATA:

SITE AREA (GROSS TO CENTERLINE): SITE AREA (NET ALTA):

CONTACT: DAVE SOLTYSIK, P E. PHONE: (602) 297-8732 EMAIL: DSOLTYSIK@TERRASCAPE.US

CIVIL ENGINEER

ARCHITECT TR,i ARCHITECTS 9812 MANCHESTER ROAD ST. LOUIS, MISSOURI 6311

CONTACT: JEFFREY P. KAISER
PHONE: (314) 395-9750 EXT. 219
EMAIL: JEFF.KAISER@TRIARCHITECTS.COM

± 2.55 AC (111,226.90 SF ± 1.57 AC (68,456.90 SF) 3840 S. HIGLEY ROAD GILBERT, AZ 85297

304-52-020C NC - NEIGHBORHOOD COMMERCIAL PRESCHOOL & CHILDCARE FACILITY 6 AM TO 6 PM 9,593 SF

ZONING STANDARDS - NC - NEIGHBORHOOD COMMERCIAL:

DAYCARE CENTER / SCHOOL - SMALL SCALE / PRIVATE (PERMITTED WHEN LOCATED ON AN ARTERIAL ROAD & NO LIGHTED OUTDOOR RECREATION FACILITIES) MAX. SIZE OF USE 25,000 SF 9.593 SF MAX. BUILDING HEIGHT / STORIES 25' / 1 STORY 25' / 1 STORY MIN. BUILDING AND LANDSCAPE SETBACKS FRONT (HIGLEY) 20'/50' SIDE (STREET - GERMANN) 50' * SIDE (RESIDENTIAL - CLAXTON) REAR (RESIDENTIAL - BRIARWOOD) 15' *ARTERIAL / ARTERIAL INTERSECTION LANDSCAPE & BUILDING SETBACK 50' 50' PARKING SPACES (1 / 300 SF) 32 STALLS 32 STALLS PASSENGER LOADING SPACE (12'x20') DRIVE AISLE WIDTH 25' 25'

9' X 19'

50% / 11,010 SF

(13) REMOTE FDC

(11) PORTE-COCHÉRE WITH MIN 14' CLEAR

12) FIRE RISER - PROVIDE BACKFLOW ON RISER

(14) POROUS CONC PAVER TURNAROUND

15 12'x20' DROPOFF LOADING SPACES - 3 PROVIDED

(16) FIRE ACCESS LANE TO COMPLY WITH IFC 2012 D103.6R

24) SES SCREEN - VIEW FENCE WITH METAL MESH SCREENING - SWING GATE ACCESS TO PANEL

(17) BICYCLE PARKING - 4 PROVIDED

(18) PLAYGROUND ± 5,650 SF

(21) CONCRETE SIDEWALK

22) ACCESSIBLE PARKING

(23) ACCESSIBLE CURB RAMP

(19) SURFACE RETENTION AREA

② EXISTING UTILITY POLES TO BE UNDERGROUNDED


9' X 19'

45% / 9,875 SI

SITE PLAN KEY NOTES

- MODIFY EX BLOCK WALL TO INCREASE HEIGHT TO 8' TALL COORDINATE WITH HOA
- (2) TODDLER PLAYGROUND ± 2,200 SF
- FIRE TRUCK TURNING MOVEMENT (TYP) FIRE ACCESS LANE TO COMPLY WITH IFC 2012 D103.6R
- 4) PROP RETENTION/DRAINAGE ESMT
- (5) TRASH ENCLOSURE
- (6) STRIPED CROSSWALK
- (7) 6' HIGH CMU WALL / MONUMENT SIGN
- (8) COMPACT PARKING SPACES 4 PROVIDED
- 9 36" BERM/SCREEN
- (10) 36" HIGH SCREEN WALL (TYP)

DR18-89 Little Sunshine's Playhouse Attachment 4: Site Plan September 5, 2018



VICINITY MAP

BASIS OF BEARING

SOUTH 00°00'00" EAST - BEING THE WEST LINE SOUTH 0'0'000" - EAST - BEING THE WEST LINE
OF THE NORTHWEST QUARTER (NW 1/4) OF
SECTION 23, TOWNSHIP 4 NORTH, RANGE 2
EAST, GILA AND SALT RIVER MERIDIAN,
MARICOPA COUNTY, ARIZONA, PER THE FINAL
PLAT FOR FOOTHILLS NORTH UNIT 1, RECORDED
IN BOOK 388, PAGE 47, MARICOPA COUNTY
BECOPER

BENCHMARK

GDACS POINT 20528-1 BEING THE SOUTHEAST CORNER OF SECTION 3. TOWNSHIP 2 SOUTH, RANGE 6 EAST. HAVING A NAVD88 ELEVATION OF 1307.54

FLOOD INFORMATION

FLOOD ZONE DESIGNATION "X" PER F.E.M.A. FLOOD INSURANCE RATE MAP, MAP NUMBERS 04013C2765M, PANEL 2765 OF 4425, DATED NOVEMBER 4, 2015.

ZONE "X" - AREAS OF 0.2% ANNUAL CHANCE FLOOD; AREAS OF 1% ANNUAL CHANCE FLOOD WITH AVERAGE DEPTHS OF LESS THAN 1 FOOT OR WITH DRAINAGE AREAS LESS THAN 1 SQUARE MILE: AND AREAS PROTECTED BY LEVEES FROM 1% ANNUAL CHANCE FLOOD.

(THE ABOVE STATEMENT IS FOR INFORMATION (THE ABOVE STATEMENT IS FOR INFORMATION ONLY AND THE SURVEYOR ASSUMES NO LIABILITY FOR THE CORRECTNESS OF THE CITED MAP OR THE LOCATION OF THE FLOOD ZONE BOUNDARY. IN ADDITION, THE ABOVE STATEMENT DOES NOT REPRESENT THE SURVEYOR'S OPINION OF THE PROBABILITY OF FLOODING.)





LITTLE SUNSHINE'S **PLAYHOUSE & PRESCHOOL** 3840 S. HIGLEY ROAD

> PRELIMINARY SITE PLAN








1ST CITY SUBMITT 2ND CITY SUBMITTA 7/03/18 8/06/18 3RD CITY SUBMITTA HECKED BY: DMS RAWN BY: EF SITE PLAN SHEET No.


1 of 1

0830









FENCE TO BE STD. BRONZE COLOR 2

PLAY AREA FENCE ELEVATION SCALE 1/2" = 1-0"



DETAILS

phillip r. ryan landscape architect p.c. landscape architecture & planning 4916 s. quiet way gilbert, arizona 85298 (480) 899-5813 fax (480) 963-3674

PROJECT NO.

SCALE: 3/4" = 1'-0"

PLAN' TREES: ULMIS PAR, EVERGREEN CERCIDIUM I DESERT MUE CERCIDIUM I CERCIDIU

PLANT PALETTE:

 CERCIDIUM PRAECOX
 24° BOX MATCHING
 11 TOTAL

 PALO BREA
 1' HT, 4' SP, 11/2' CAL
 20 TOTAL

 PROSOPIS CHILENSIS 'PHOENIX'
 24' BOX MIN.
 20 TOTAL

 THORNLESS MESQUITE
 MULTI-TRINK (8' HT, 5' SP., 1 1/2" CAL.)

 ACACIA SALICINA
 24" BOX, MATCHING
 13 TOTAL

 WILLOW ACACIA
 1" HT, 4" SP., 1 1/4" CAL.

CAESALPINIA MEXICANA IB GALLON MIN. 4 TOTAL YELLOW MEXICAN BIRD OF PARADISE TREE FORM (6' HT, 2 1/2' SP, 3/4' CAL.)

SHRUBS & VINES:

LEUCOPHYLLIM LANGMANIAE 5 GALLON 86 TOTAL
RIO BRAYO 8AGE FULL, PAST CAN

LEUCOPHYLLIM LAEVIGATUM 5 GALLON 21 TOTAL
CHINIANIAN 8AGE FULL PAST CAN

RUBLLIA BRITTONIANA CALIFORNICA 5 GALLON 30 TOTAL
RUBLIA PAÉT CAN
TECOMA X SPARKY 5 GALLON 55 TOTAL
HYBRID TECOMA FULL, PAÉT CAN
FULL, PAÉT CAN

CASSIA STURTII 5 GALLON II TOTAL
GREEN DESERT CASSIA FULL, PAST CAN
TECOMA STANS V. STANS 5 GALLON 4 TOTAL

TECOMA STANS V. STANS 5 GALLON 4 TOTAL
ORANGE BELLO FULL, PAST CAN
CASSALIPNIA PULCHERRIMA 5 GALLON 23 TOTAL
RED BIRD OF PARADISE FULL, PAST CAN

GROUNDCOVERS AND ACCENTS:

ACACIA REDOLENS 'DC.'

DESERT CARPET REDOLENS

FILL, PAST CAN

GALLISTEMON VIMINALIS "LITTLE JOHN"

LITTLE JOHN BOTTLE BRUSH

FULL, PAST CAN

LANTANA MONTIVIDENGIG N.G."

NEW GOLD LANTANA

EREMOPHYLLA MINGINEW GOLD

OUTBACK GUNRIGE

LANTANA MONTIVIDENGIG N.G."

I GALLON

1 GALLON

46 TOTAL

FULL, PAST CAN

HESPERALOE PARVIFOLIA 5 GALLON 26 TOTAL
RED YUCCA FULL, PAST CAN

RUELLIA BRITTONIANA "KATIE" I GALLON 9 TOTAL
KATIE RUELLIA FULL, PAST CAN

DECOMPOSED GRANITE 21 DEEP 3655 SF. SANTA FE BEIGE 3/41 SCREENED

MID-IRON

6.340 SF

CONCRETE PAYERS
PAYESTONE SIERRA BLEND
ALT. RUNNING BOND
CONSTRUCTION NOTE: NO TREE TO BE PLANTED WITHIN 6' OF A WATERLINE.

PLAN KEY NOTES:


- 1) SIDEWALK
- 2 RETENTION BASIN
- (3) SIGHT VISIBILITY LINE PER GIL-212 (NO OBJECTS ABOVE 24" IN HT. TREES TO BE TRIMMED TO 7" ABOVE FINISH GRADE)
- (4) EXISTING ABOVE-GRADE ELECTRICAL CABINET
- (5) PAINTED STRIPING
- 6 RECLAIMED WATER LINE STUB
- 7 FREE STANDING PROJECT SIGN WALL (SEE SHEET L-2)
- (8) 5"-6" DIA. HAND-PLACED GRANITE COBBLE
- (9) UTILITY EASEMENT
- DEXISTING SIDEWALK
- (II) CONCRETE PATIO
- (12) OVERHEAD ELECTRIC LINE
- (3) SYNTHETIC TURF AND RESILIENT SURFACING IN TOT PLAY AREAS
- (4) 6' WIDE SIDEWALK
- (15) PORTE COCHERE

EXISTING TREES TO REMAIN -

- (16) REFUSE ENCLOSURE (SEE SHEET L-2)
- TUBE STEEL VIEW FENCE (SEE ARCH. DWGS.)
- B FIRE HYDRANT
- (9) EXISTING LANDSCAPE TO REMAIN
- 20 DRAINAGE PIPE PER CIVIL DRAWING
- (21) DECORATIVE SCREEN WALL, SEE ELEVATION THIS SHEET
- 22 TREES IN 4' SQ. TREE GRATES
- 23 BIKE PARKING
- (24) DECORATIVE PAVERS- PAVESTONE SIERRA BLEND- PLAZA STONE RECTANGULAR & SQUARES (ALT, RUNNING BOND)

SIGHT DISTANCE LINE NOTE:

ALL EXISTING SHRUBS WITHIN SIGHT DISTANCE LINE SHALL BE MAINTAINED AT A MAX HT. OF 24 INCHES WITHIN SIGHT DISTANCE LINE AND TREE LIMBS ARE TO BE REMOVED WITHIN T FEET OF FINISH GRADE WITHIN SIGHT DISTANCE LINE



TOWN OF GILBERT NOTES:

SYNTHETIC TURE

- I. A TOWN OF GILBERT PERMIT IS REQUIRED FOR THE INSTALLATION OF ANY LANDSCAPE OR IRRIGATION SYSTEM. A CD WITH PDF FORMAT "AS-BUILTS" OF THE LANDSCAPE AND IRRIGATION PLANS IS ALSO REQUIRED.
- 2. BEFORE THE TOUN OF GILBERT WILL ACCEPT AN INSTALLED BACKFLOW
 DEVICE FOR APPROVAL, THE FOLLOWING MUST BE ACCOMPLISHED: THE
 DEVICE MUST BE TESTED BY A STATE CERTIFIED BACKFLOW TESTER AND THE
 TEST RESULTS FORWARDED TO THE TOUN OF GILBERT BACKFLOW
 SPECIALIST. THE TOUN WILL PROVIDE A CURRENT LIST OF CERTIFIED TESTERS
 FROM WHICH TO SELECT. TESTER FEES WILL BE AT THE EXPENSE OF THE
- 3. DESIGN OF ANY WALLS, ENTRY MONUMENT SIGNAGE OR RAMADAS THAT MAY BE PRESENTED HERRIN HAVE BEEN REVIEWED AS CONCEPTUAL ONLY AND WILL REQUIRE A SEPARATE REVIEW AND PERMIT FROM THE BUILDING DEPARTMENT. IN NO CASE SHALL THE DEPICTED WALLS, BUTRY MONUMENT SIGNAGE OR RAMADAS BE CONSIDERED FINAL APPROVAL BY THE PLANNING DEPARTMENT IS REQUIRED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT FOR SAID WALLS, BUTRY MONUMENTS AND RAMADAS.
- NO PLANT MATERIAL SHALL COME WITHIN 3 FEET OF FIRE HYDRANTS OR ANY FIRE DEPARTMENT EQUIPMENT.
- 5. NO PLANTING OR OBJECTS WITHIN THE TOWN OF GILBERT SIGHT VISIBILITY TRIANGLES SHALL EXCEED 2 FEET. TREES SHALL HAVE A 1 FEET MINIMUM CLEAR CANOPY.
- 6. ALL TREES, SHRUBS AND GROUNDCOVER SHALL MEET OR EXCEED ARIZONA NURSERY ASSOCIATION
- 7. CONSTRUCTION MAY BEGIN AFTER ALL PERMITS HAVE BEEN OBTAINED.

MAINTENANCE NOTE:

ALL LANDSCAPE AREAS AND MATERIALS SHALL BE MAINTAINED IN A HEALTHY, NEAT, CLEAN AND WEED-FREE CONDITION. THIS SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNER

CONSTRUCTION AND INSTALLATION SHALL BE IN ACCORDANCE WITH THESE PLANS AND ANY DEVIATIONS WILL REQUIRE REAPPROVAL LANDSCAPE INSTALLATIONS SHALL BE APPROVED BY TOWN OF GILDERT INSPECTION SERVICES BEFORE A CERTIFICATE OF OCCUPANCY CAN BE ISSUED.



ON-81TE LANDSCAPE AREA: 35,225 S.F.
OFF-81TE LANDSCAPE AREA: 1,630 S.F.
TOTAL SITE LANDSCAPE AREA: 42,855 S.F.
% OPEN SPACE: 51,5%



phillip r. ryan landscape architect p.c. landscape architecture & planning 4916 s. quiet way gilbert, arizona 85298 (480) 899-5813 fax (480) 963-3674

PRELIMINARY

LANDSCAPE PLAN

CARE

 \triangleleft

N S

Ш

ARIZONA

GILBERT,

ഗ

3840



PROJECT NO.


PLANT PALETTE: ULMUS PARVIFOLIA 24" BOX, MATCHING 6 TOTAL 10' HT., 3' SP., 1 1/4" CAL. CERCIDIUM FLORIDUM "DM" 24" BOX, MATCHING 8 TOTAL CERCIDIUM PRAECOX 24" BOX, MATCHING 11 TOTAL PALO BREA T' HT., 4" SP., 1 1/2" CAL PROSOPIS CHILENSIS "PHOENIX" 24" BOX MIN. 20 TOTAL MULTI-TRUNK (8' HT., 5' SP., 1 1/2" CAL. 24" BOX, MATCHING ACACIA SALICINA CAESALPINIA MEXICANA 15 GALLON MIN. 4 TOTAL TREE FORM (6' HT., 2 1/2' SP., 3/4" CAL.) YELLOW MEXICAN BIRD OF PARADISE SHRUBS & VINES: LEUCOPHYLLUM LANGMANIAE RIO BRAVO SAGE 5 GALLON FULL, PAST CAN 86 TOTAL LEUCOPHYLLUM LAEVIGATUM 21 TOTAL 5 GALLON FULL PAST CAN RUELLIA BRITTONIANA CALIFORNICA RUELLIA 5 GALLON 30 TOTAL FULL, PAST CAN TECOMA X SPARKY HYBRID TECOMA 5 GALLON FULL, PAST CAN 55 TOTAL CASSIA STURTII GREEN DESERT CASSIA 5 GALLON FULL, PAST CAN 11 TOTAL TECOMA STANS V. STANS ORANGE BELLS 5 GALLON FULL, PAST CAN 4 TOTAL CAESAL PINIA PULCHEPPIM 5 GALLON FULL, PAST CAN 23 TOTAL GROUNDCOVERS AND ACCENTS: ACACIA REDOLENS "D.C." DESERT CARPET REDOLENS I GALLON FULL, PAST CAN 100 TOTAL CALLISTEMON VIMINALIS "LITTLE JOHN LITTLE JOHN BOTTLE BRUSH I GALLON FULL, PAST CAN 24 TOTAL ₩ LANTANA MONTIVIDENSIS 'N.G. 126 TOTAL NEW GOLD LANTANA FULL PAST CAN EREMOPHYLLA MINGINEW GOLD I GALLON 46 TOTAL 5 GALLON FULL, PAST CAN 26 TOTAL RUELLIA BRITTONIANA "KATIE" 9 TOTAL KATIE BUELLIA FULL PAST CAN SYNTHETIC TURE MID-IRON 6340 SE

PLAN KEY NOTES:

- 1) SIDEWALK
- (2) RETENTION BASIN
- 3 SIGHT VISIBILITY LINE PER GIL-212 (NO OBJECTS ABOVE 24" IN HT. TREES TO BE TRIMMED TO TI ABOVE FINISH GRADE)
- 4 EXISTING ABOVE-GRADE ELECTRICAL CABINET
- (5) PAINTED STRIPING
- 6 RECLAIMED WATER LINE STUB
- 1) FREE STANDING PROJECT SIGN WALL (SEE SHEET L-2)
- 8 5'-6" DIA HAND-PLACED GRANITE COBBLE
- 9 UTILITY EASEMENT
- (10) EXISTING SIDEWALK
- (II) CONCRETE PATIO
- (12) OVERHEAD ELECTRIC LINE
- (3) SYNTHETIC TURF AND RESILIENT SURFACING IN TOT PLAY AREAS
- (4) 6' WIDE SIDEWALK
- (I5) PORTE COCHERE
- (16) REFUSE ENCLOSURE (SEE SHEET L-2)
- 17 TUBE STEEL VIEW FENCE (SEE ARCH. DWGS.)
- (B) FIRE HYDRANT
- (9) EXISTING LANDSCAPE TO REMAIN
- 20 DRAINAGE PIPE PER CIVIL DRAWING
- (21) DECORATIVE SCREEN WALL, SEE ELEVATION THIS SHEET
- (22) TREES IN 4' SQ. TREE GRATES
- 23) BIKE PARKING
- (24) DECORATIVE PAVERS- PAVESTONE SIERRA BLEND- PLAZA STONE RECTANGULAR & SQUARES (ALT. RUNNING BOND)

SIGHT DISTANCE LINE NOTE:

ALL EXISTING SHRUBS WITHIN SIGHT DISTANCE LINE SHALL BE MAINTAINED AT A MAX, HT. OF 24 INCHES WITHIN SIGHT DISTANCE LINE AND TREE LIMBS ARE TO BE REMOVED WITHIN 1 FEET OF FINISH GRADE WITHIN SIGHT DISTANCE LINE.



36.515 SF.

2" DEEP

CONSTRUCTION NOTE: NO TREE TO BE PLANTED WITHIN 6' OF A WATERLINE

3/4" SCREENED

ALT, RUNNING BOND

TOWN OF GILBERT NOTES:

DECOMPOSED GRANITE

PAVESTONE SIERRA BLEND


SANTA PE BEIGE

- 1. A TOWN OF GILBERT PERMIT 16 REQUIRED FOR THE INSTALLATION OF ANY LANDSCAPE OR IRRIGATION SYSTEM. A CD WITH PDF FORMAT "AS-BUILTS" OF THE LANDSCAPE AND IRRIGATION PLANS 16 ALSO REQUIRED
- 2. BEFORE THE TOWN OF GILBERT WILL ACCEPT AN INSTALLED BACKFLOW DEVICE FOR APPROVAL, THE FOLLOWING MUST BE ACCOMPLISHED: THE DEVICE MUST BE TESTED BY A STATE CERTIFIED BACKFLOW TESTER AND THE TEST RESULTS FORWARDED TO THE TOWN OF GILBERT BACKFLOW SPECIALIST, THE TOWN WILL PROVIDE A CURRENT LIST OF CERTIFIED TESTERS FROM WHICH TO SELECT. TESTER FEES WILL BE AT THE EXPENSE OF THE INSTALLER.
- 3. DEBIGN OF ANY WALLE, ENTRY MONUMENT BIGNAGE OR RAMADAS THAT MAY BE PRESENTED HERRIN HAVE BEEN REVIEWED AS CONCEPTUAL ONLY AND WILL REQUIRE A SEPARATE REVIEW AND PERMIT PROM THE BUILDING DEPARTMENT. IN NO CASE SHALL THE DEPICTED WALLE, ENTRY MONUMENT BIGNAGE OR RAMADAS BE CONSIDERED FINAL APPROVAL BY THE PLANNING DEPARTMENT IS REQUIRED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT FOR SAID WALLS, ENTRY MONUMENTS AND RAMADAS.
- 4. NO PLANT MATERIAL SHALL COME WITHIN 3 FEET OF FIRE HYDRANTS OR ANY FIRE DEPARTMENT EQUIPMENT.
- 5. NO PLANTING OR OBJECTS WITHIN THE TOWN OF GILBERT SIGHT VISIBILITY TRIANGLES SHALL EXCEED 2 FEET. TREES SHALL HAVE A 7 FEET MINIMUM CLEAR CANOPY.
- 6. ALL TREES, SHRUBS AND GROUNDCOVER SHALL MEET OR EXCEED ARIZONA NURSERY ASSOCIATION.
- T. CONSTRUCTION MAY BEGIN AFTER ALL PERMITS HAVE BEEN OBTAINED.

MAINTENANCE NOTE:

ALL LANDSCAPE AREAS AND MATERIALS SHALL BE MAINTAINED IN A HEALTHY, NEAT, CLEAN AND WEED-FREE CONDITION. THIS SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNER.

CONSTRUCTION AND INSTALLATION SHALL BE IN ACCORDANCE WITH THESE PLANS AND ANY DEVIATIONS WILL REQUIRE REAPPROYAL LANDSCAPE INSTALLATIONS SHALL BE APPROYED BY TOWN OF GILBERT INSPECTION SERVICES BEFORE A CERTIFICATE OF OCCUPANCY CAN BE ISSUED.



CN-SITE LANDSCAPE AREA: 35,225 S.F. OFF-SITE LANDSCAPE AREA: 7,630 S.F. TOTAL SITE LANDSCAPE AREA: 42,655 S.F. % OPEN SPACE: 51,5%

andscape Plan I

Scale 1:20

GRAPHIC SCALE






E SUNSHINE DAY CARE 3840 S. HIGLEY ROAD GILBERT, ARIZONA 85297

SHANDS OF THE PROPERTY OF THE

LANDSCAPE PLAN

phillip r. ryan landscape architect p.c. landscape architecture & planning 4916 s. quiet way

gilbert, arizona 85298 (480) 899-5813 fax (480) 963-3674



DR18-89 Little Sunshine's Playhouse Attachment 6: Grading and Drainage

engin



LITTLE SUNSHINE'S **PLAYHOUSE & PRESCHOOL** 3840 S. HIGLEY ROAD

PRELIMINARY GRADING & DRAINAGE/UTILITY





1ST CITY SUBMIT 2ND CITY SUBMITT DMS PREI IMINARY GRADING

& DRAINAGE/UTILITY PLAN

1 of 1



DR18-89 Little Sunshine's Playhouse Attachment 8: Elevations September 5, 2018



EAST ELEVATION



APROLICOTION OF RTU
SEYMO BOOF
ELYSEF
UNE OF ROOF PIT BRYOND

INE OF ROOF PIT BRYOND

IN OF ROOF PIT BRYON


SOUTH ELEVATION



WEST ELEVATION



LITTLE SUNSHINE'S PLAYHOUSE





LITTLE SUNSHINES PLAYHOUSE

SUNSHINES

DWG. BY BDW
PROJECT NO. TRGA-01-2018

PROJECT NO.

PH100

SITE PHOTOMETRIC

Luminaire Schedule Light Loss Factor Mounting Number Lumens Quantity Manufacturer Catalog Number Nattage Height Lamps STERNBERG 1A-1531RLED-EZ-FG 1531 OMEGA SERIES LED, 84 LEDS 14' AFF -6ARC-35-T3 LIGHTING TYPE 3 OPTIC, FLAT GLASS -3-MDLO3-DB 15' POLE STERNBERG 1A-1531RLED-EZ-FG LIGHTING -4ARC-35-T4 1531 OMEGA SERIES LED, 64 LEDS 19' AFF 6025 66 PL2 TYPE 4 OPTIC, FLAT GLASS -F-MDLO3-DB 20' POLE STERNBERG 1A-1531RLED-EZ-FG 84 LEDS 14' AFF 1531 OMEGA SERIES LED, 8730 96 PL3 6ARC-35-T4 LIGHTING TYPE 4 OPTIC, FLAT GLASS -3-MDLO3-DB 15' POLE STERNBERG 1A-1531RLED-EZ-FG -6ARC-35-T3 1531 OMEGA SERIES LED, 84 LEDS 19' AFF 8730 96 LIGHTING TYPE 3 OPTIC, FLAT GLASS 20' POLE 9 MAXILUME HH6-LED-900L-6" ARCHITECTURAL HIGH LED 900 18.4 LUMEN LED DIM10-120-MD-35K-6501-CL-SCH DOWNLIGHT 12 MINKA-LAVERY L2 3282-A61 7'-0" AFF 500 EXTERIOR WALL SCONCE 3-LIGHT 8'-6" AFF 2 MINKA-8283-A61 3 500 L3 EXTERIOR WALL LÉD A-19 I AVFRY SCONCE

FIXTURE PL1 TO PL4





FIXTURE L2




FIXTURE L3



GENERAL LIGHTING CONTROLS NOTE

THE PROJECT NEEDS GOOD LIGHTING LEVELS FOR SAFE CHILD PICK UP AND DROP OFF. ALL BUILDING MOUNTED LIGHTING(L2,L3), INCLUDING THE UNDER-CANOPY (H) LIGHTS WILL BE TURNED OFF DURING NON-BUILDING OPERATION HOURS. ALL EMPLOYEES ARE GONE AND BUILDING IS SHUT DOWN BY 7 PM EACH EVENING, MODAY THRU FRIDAY AND NOT OPERATIONAL ON SATURDAY OR SUNDAYS. THESE LIGHTS WILL ONLY BE OPERATIONS FOR ABOUT 1 HOUR AT THE BEGINNING OF THE DAY AND 2 HOURS AT THE END OF THE DAY DURING THE SHORTEST DAYLIGHT DAY OF THE YEAR. ABOUT HALF THE YEAR THESE LIGHTS WILL NOT TURN ON.



Statistics
Description Symbol Avg Max Min Max/Min Avg/Min

DR18-89 Little Sunshine's Playhouse Attachment 10: Lighting September 5, 2018



ORDERING EXAMPLE: 2A-153ILED-R-4ARC45T5-MDH03-SV1-HSH5/CA6/5218P5/UBKT Mounting
Config.
Fixture Stude LED CCT Type Driver Lons Optional Option Option Control Feat Stude Control Feat Stude Control Control Feat Stude Control Stude Control Control Feat Stude Control Stude

re to link to mounting configuration specification pol-• 2A90 • 4A • SH44' • 3A • 1AM • CH44' • 3A90 • 2AM • CAT • 153ILED • IS3ILEDSM

Finisi

*HSDV Clamp Syle Hostoomal Hangstralgit No
Fixed Bright Large, T2" Mount

*HSDV Vettical Hangstralgit, Large, T2" Mount

*HSDV Vettical Hangstralgit, Sandard

*HSD Vettical Hangstralgit, Sandard

*Saley shows for healthcome house.

*Part for one with SALIDEMM. • R (Round Edge) • F (Flared Edge) ·10ARC ·8ARC ·6ARC ·4ARC CCT - Color Temperature (K)²

• 45(OO) • 35(OO) • 27(OO)

*Other Kelvin temperatures available. Consult factory.

·CA ·CSA ·FFA ·DAG ·R3º ·RA •T3 •T3R •T4 •T5

SternbergLighting

SternbergLighting

Luminaires above grade height to be 2' I height, REQUIRES "E2" hangstraight. Pole (Click here to link to pole specification page) See Pole specification sheets.

Finish DARK BRONZE

800-621-3376 555 Lawrence Ave., Roselle, IL 60172 info@sternberglighting.com www.sternberglighting.com

determined in according and ENAL Medical They shall operate in a 40°C; 40°Th to 45°C; [IZZF] amblent alt temperature range. The High Performance white LED's will have a life especiancy of approximately 100,000 hours between the state of th

Custom Urban Finishes*
- CM Custom Match

Specifications

LED

1531LED OMEGA SERIES

LED


The luminaire shall be provided with individual refractor type optics applied to each LED. The luminaire shall provide Type ___(2, 3, 3R, 4 or 5) light distribution per the IESNA classifications. Testing shall be done in accordance with IESNA LM-79.

For sources under 50w: The driver shall have a minimum efficiency of 88%.

Photocontrols

Button Style: On a single assembly the photocontrol shall be mounted on the fisture and privried to driver. On multiple head assembly's
the photocontrol shall be mounted in the pole
and on an access place. The electronic button
ond turn off, and shall turn on at 15 footcandles
with a turn-off at 2-3 lootcandles, Photocontrol
is 120-277 volt and warranted for 6 years.
Twist-Lock Syle: The photocontrol shall be
mounted externally on the fisture and pre-wired
to driver. The twist lock type photocortrol is
instant on with a 3-6 second turn off, and shall
flootcandles Photocontrol is 120-277 volt and
warranted for 6 years.

Refer to website for details.



1531LED-EZ 31"W x 21-1/2"H

R-PE PEC

Options



800-621-3376 555 Lawrence Äve., Roselle, IL 60172 info@stemberglighting.com www.stemberglighting.com

SternbergLighting ESTABLISHED 1923 / EMPLOYEE DWINED

1531LED OMEGA SERIES


| 1041C3-M0 105 | 19400 | 82.9 | 19355 | 82.6 | 19855 | 83.4 | 19855 | 83.5 | 1956 | 83.3 | 229 | 1940005-M0 106 | 21800 | 83.2 | 2275 | 22.8 | 22190 | 83.8 | 22180 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 83.8 | 22195 | 23.8 | 22195 | 23.8 | 22195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195 | 23.8 | 23195

ARAICE-AND, 03 13145 1559 12735 110-7 13180 118-3 12985 1319 13195 118-8 124
ARAICE-AND, 03 7575 78-9 7465 77.7 7065 80.0 7690 79.7 7590 79.1 96
ARAICE-AND, 03 9715 101.2 9570 99.7 89.7 89.6 80.0 102.2 9700 102.2 9700
ARAICE-AND, 03 9715 101.2 9570 99.7 89.6 80.0 102.2 9700 101.4 96

Performance (Based on FG Lens)









Ш

 $\overline{\Omega}$

AYHOU





DWG. BY BDW PROJECT NO. TRGA-01-2018

SHEET NO.

PH101 SITE LIGHTING FIXTURES